## Supplement 18: Assessment of smoking status

The table below describes the Read codes that were used to assess women's smoking status around pregnancy. Since numerous records exist for most pregnancies, we identified the first and last mention of Read codes relating to each of three smoking status categories (i.e. current smoker; exsmoker; never smoked) and used these time points to define continuous periods on the basis of which the exposure status around pregnancy was assessed. The text box that follows provides a description of the algorithm that was used to determine smoking status at conception.

## Read codes used to determine current smoking status

Read code	Read term	Smoking status
1377	Ex-trivial smoker (< 1 per day)	Ex-smoker
1378	Ex-light smoker (1 - 9 per day)	Ex-smoker
1379	Ex-moderate smoker (10 - 19 per day)	Ex-smoker
137A.00	Ex-heavy smoker (20 - 39 per day)	Ex-smoker
137B.00	Ex-very heavy smoker (40 + per day)	Ex-smoker
137F.00	Ex-smoker - amount unknown	Ex-smoker
137K.00	Stopped smoking	Ex-smoker
137K000	Recently stopped smoking	Ex-smoker
137L.00	Current non-smoker	Ex-smoker
137N.00	Ex pipe smoker	Ex-smoker
1370.00	Ex cigar smoker	Ex-smoker
1375.00	Ex smoker	Ex-smoker
137T.00	Date ceased smoking	Ex-smoker
137i.00	Ex tobacco chewer	Ex-smoker
137j.00	Ex-cigarette smoker	Ex-smoker
1371.00	Ex roll-up cigarette smoker	Ex-smoker
13p4.00	Smoking free weeks	Ex-smoker
9km00	Ex-smoker annual review - enhanced services administration	Ex-smoker
9km11	Ex-smoker annual review	Ex-smoker
1371	Never smoked tobacco	Never smoked
1371.11	Non-smoker	Never smoked
9kn00	Non-smoker annual review - enhanced services administration	Never smoked
13700	Tobacco consumption	Currently smoking
13711	Smoker - amount smoked	Currently smoking
1372	Trivial smoker - < 1 per day	Currently smoking
1372.11	Occasional smoker	Currently smoking
1373	Light smoker - 1-9 per day	Currently smoking
1374	Moderate smoker - 10-19 per day	Currently smoking
1375	Heavy smoker - 20-39 per day	Currently smoking
1376	Very heavy smoker - 20-39 per day	Currently smoking
137C.00	Keeps trying to stop smoking	Currently smoking
137D.00	Admitted tobacco cons untrue ?	Currently smoking
137E.00	Tobacco consumption unknown	Currently smoking
137G.00	Trying to give up smoking	Currently smoking
137H.00	Pipe smoker	Currently smoking

137J.00	Cigar smoker
	Rolls own cigarettes
	Cigarette smoker
	Smoker
	Smoking started
	Smoking restarted
	Current smoker
	Smoking reduced
	Cigarette consumption
	Cigar consumption
	Tobacco consumption NOS
	Pipe tobacco consumption
	Ready to stop smoking
	Thinking about stopping smoking
	Not interested in stopping smoking
	Smoking restarted
	Reason for restarting smoking
	Cigarette pack years
-	
	Minutes from waking to first tobacco consumption
	Failed attempt to stop smoking
	Smoking cessation milestones
•	Negotiated date for cessation of smoking
•	Smoking status at 4 weeks
•	Smoking status between 4 and 52 weeks
•	Smoking status at 52 weeks
	Smoking cessation programme start date
-	Lost to smoking cessation follow-up
	Pack years
	Fagerstrom test for nicotine dependence
	Health ed smoking
	Health education - parental smoking
	Pregnancy smoking advice
	Lifestyle advice regarding smoking
	Brief cessation for smoking cessation
	Smoking cessation therapy
	Nicotine replacement therapy using nicotine patches
	Nicotine replacement therapy using nicotine gum
	Nicotine replacement therapy using nicotine inhalator
	Nicotine replacement therapy using nicotine lozenges
	Smoking cessation drug therapy
745H500	
-	Other specified smoking cessation therapy
	Smoking cessation therapy NOS
	Nicotine replacement therapy
	Over the counter nicotine replacement therapy
8B3f.00	Nicotine replacement therapy provided free

Currently smoking Currently smoking

8BP3.00 Nicotine replacement therapy provided by community pharmacis 8CAL.00 Smoking cessation advice 8CAg.00 Smoking cessation advice provided by community pharmacist 8CdB.00 Stop smoking service opportunity signposted 8H7i.00 Referral to smoking cessation advisor 8HBM.00 Stop smoking face to face follow-up 8HTK.00 Referral to stop-smoking clinic 8HkQ.00 Referral to NHS stop smoking service 8121.00 Nicotine replacement therapy contraindicated 8I2J.00 **Bupropion contraindicated** 8139.00 Nicotine replacement therapy refused 8I6H.00 Smoking review not indicated 8IAj.00 Smoking cessation advice declined 8IEK.00 Smoking cessation program declined 8IEM.00 Smoking cessation drug therapy declined 9N2k.00 Seen by smoking cessation advisor 9N4M.00 DNA - did not attend smoking cessation clinic 9NS0200 Referral for smoking cessation service offered 9NdW.00 Consent given for smoking cessation data sharing 9NdY.00 Declin cons follow-up evaluation after smoking cess interven 9NdZ.00 Declined consent for smoking cessation data sharing 9Ndg.00 Declined consent for follow-up by smoking cessation team 900..00 Attends stop smoking monitor admin 9001.00 Attends stop smoking monitor 9002.00 Refuses stop smoking monitor 9003.00 Stop smoking monitor default 9004.00 Stop smoking monitor 1st lettr 9005.00 Stop smoking monitor 2nd lettr 9006.00 Stop smoking monitor 3rd lettr 9007.00 Stop smoking monitor verb.inv. 9008.00 Stop smoking monitor phone inv 9009.00 Stop smoking monitoring delete 900A.00 Stop smoking monitor check.done 900B.00 Stop smoking invitation short message service text message 900B000 Stop smoking invitation first SMS text message 900Z.00 Stop smoking monitor admin.NOS 9hG..00 Exception reporting: smoking quality indicators 9hG0.00 Excepted from smoking quality indicators: Patient unsuitable 9hG1.00 Excepted from smoking quality indicators: Informed dissent 9kc..00 Smoking cessation - enhanced services administration 9kc0.00 Smoking cessatn monitor template complet - enhanc serv admin 9ko..00 Current smoker annual review - enhanced service admin 9ko..11 current smoker annual review E023.00 Nicotine withdrawal E251.00 Tobacco dependence E251100 Tobacco dependence, continuous

Currently smoking Currently smoking

E251z00	Tobacco dependence NOS	Currently smoking
H310100	Smokers' cough	Currently smoking
TJHy200	Adverse reaction to nicotine	Currently smoking
U609900	[X] Bupropion causing adverse effects in therapeutic use	Currently smoking
ZG23300	Advice on smoking	Currently smoking
ZRBm200	Fagerstrom test for nicotine dependence	Currently smoking
ZRBm211	FTND - Fagerstrom test for nicotine dependence	Currently smoking
ZRb3.00	Pack years	Currently smoking
ZV4K000	[V] Tobacco use	Currently smoking
ZV6D800	[V] Tobacco abuse counselling	Currently smoking

Condition	Assigned status	Derived smoking status category
<ul> <li>Conception fell within a current smoker period, no other information available</li> <li>Conception fell within a current smoker period, with preceding or following ex-smoker or never smoked periods</li> </ul>	Currently smoking	
<ul> <li>Only current smoker codes were present in the medical record, although the period did not include conception</li> <li>Conception was preceded by a current smoker period, and followed by ex-smoker or never smoked periods</li> <li>Conception fell within a current smoker period, with overlapping ex-smoker and never smoked periods</li> </ul>	Possibly smoking	Current smoker or ex-smoker
<ul> <li>Conception fell within an ex-smoker period, no other information available</li> <li>Conception fell within an ex-smoker period, with preceding or following current smoker or never smoked periods</li> <li>Conception was preceded by an ex-smoker period, and followed by current smoker or never smoked periods</li> <li>Only ex-smoker codes were present in the medical record</li> </ul>	Ex-smoker	
<ul> <li>Conception fell within a never smoked period, no other information available</li> <li>Conception fell within a never smoked period, no smoking or ex-smoking period prior to the pregnancy</li> <li>Only never smoked codes were present in the medical record</li> </ul>	Never smoked	Never smoked
<ul> <li>Conception fell outside all periods and was not preceded by a current smoker period</li> <li>No smoking codes present on the medical records</li> </ul>	Status unknown	Status unknown

## Description of the algorithm used to determine smoking status around pregnancy