

Supplementary Material III: Additional Statistical Figures

Figure 1: Box plot of PDA all substances (excluding alcohol)




Figure 2: Box plot of PDA alcohol alone




Figure 3: Box plot of PDA Cannabinoids/marijuana




Figure 4: Box plot of PDA cocaine/crack




Figure 5: Box plot of PDA amphetamine-type stimulants




Figure 6: Box plot of PDA opioid analgesics




Figure 7: Box plot of PDA prescribed opioid substitution therapy




Figure 8: Box plot of PDA MDMA/Ecstasy




Figure 9: Box plot of PDA prescription medication




Figure 10: Box plot of PDA inhalants




Figure 11: Box plot of PDA hallucinogens




Figure 12: Box plot of PDA novel psychoactives




Figure 13: Box plot of Kidscreen-10 Index




Figure 14: Box plot of Socrates 7DS precontemplation




Figure 15: Box plot of Socrates 7DS contemplation




Figure 16: Box plot of Socrates 7DS preparation




Figure 17: Box plot of Socrates 7DS action




Figure 18: Box plot of Socrates 7DS maintenance




Figure 19: Box plot of BSCQ unpleasant emotions




Figure 20: Box plot of BSCQ physical discomfort




Figure 21: Box plot of BSCQ pleasant emotions




Figure 22: Box plot of BSCQ testing control over my use of alcohol or drugs




Figure 23: Box plot of BSCQ urges and temptations




Figure 24: Box plot of BSCQ conflict with others




Figure 25: Box plot of BSCQ social pressure to use




Figure 26: Box plot of BSCQ pleasant times with others

