Report Supplementary Material 4

Table 1: Study 7 Baseline Sociodemographic Characteristics

Total sample N = 104	Non-completers	Partial completers	Full completers	
Sociodemographic				
Mean age, years	38.19 N=32	44.30 N=10	34.07 N=54	
S.D.	10.88	9.51	8.76	
Self-identified gender, N				
Women	26			
	76.5%			
Men	6			
	17.6%			
Ethicnity, N	11.070			
White	25	8	48	
Winte	73.5%	80%	80%	
Black African, Caribbean, British	4	1	1	
Diack Amcan, Campbean, Dhush	11.8%	10%	1.7%	
Asian or Asian British		10%	5	
Asian or Asian British	0			
	0%	10%	8.3%	
Multiple ethnic groups	—	0	0	
	5.9%	0%	0%	
Other ethnic group	1	0	0	
	2.9%	0%	0%	
University degree, N	27	6	50	
	79.4%	60%	83.3%	
Years since qualifying, mean	10.88 N=29	17.4 N=10	7.24 N=52	
S.D.	8.62	12.33	7.64	
Years in organisation, mean	7.31 N=31	11.36 N=10	4.80 N=53	
S.D.	8.21	13.04	5.67	
Years working in psychosis, mean	8.02 N=31	13.2 N=10	5.35 N=53	
S.D.	7.52	10.94	5.5	
	1.52	10.94	5.5	
Occupation, N	6	0	40	
Psychologist		2	19	
	17.6%	20%	31.7%	
Nurse	21	4	14	
	61.8%	40%	23.3%	
Occupational therapist	2	1	5	
	5.9%	10%	8.3%	
Other allied health professional	2	1	9	
	5.9%	10%	15%	
Psychiatrist	0	3	4	
	0%	30%	6.7%	
Student	1	0	3	
	2.9%	0%	5%	
Setting, N				
Outpatient	22	10	35	
·	64.7%	100%	58.3%	
Inpatient	7	0	18	
	20.6%	0%	30%	
Other	3	0	1	
Outor	8.8%	0%	1.7%	
Previous CRT training, N	0.070	070	1.7 /0	
Yes	0	0	2	
res				
N1_	0%	0%	3.3%	
No	36	10	52	
	87.8%	100%	86.7%	

Table 2: Study 7: Crude and Adjusted Analysis showing Odds Ratio (OR) and Adjusted OR (AOR)of Questionnaire Result for Years Practice Since Qualifying and Working in Psychosis fromLogistic Regression Models

	Odds Ratio (OR)				Adjusted Odds Ratio (AOR)*				
	Ν	OR	Lower CI	Upper CI	P Value	AOR	Lower CI	Upper Cl	P Value
Years practice	62	0.9	0.84	0.97	0.005	0.91	0.84	0.99	0.025
since qualifying									
Years working in	63	3 0.87	0.8	0.96	0.006	0.89	0.8	0.99	0.033
psychosis									

*Adjusted for Professional Role