

**Supplementary Material 21: Risk of bias summary: judgements on each methodological quality item for each included study.**

	Random sequence generation (selection bias)	Allocation concealment (selection bias)	Blinding (performance bias and detection bias): All outcomes	Incomplete outcome data (attrition bias): All outcomes	Selective reporting (reporting bias)	Other bias
An 2019	?	?	?	+	+	?
An 2020	+	+	?	+	+	+
Bergmann 2018	+	+	?	+	+	-
Carey 2011	+	+	-	+	-	+
Chen 2012	+	+	-	?	+	+
Cho 2015	?	?	?	?	+	?
Choi 2108	+	?	-	+	+	+
De Bruyn 2018	+	+	-	-	-	-
Edmans 2000	+	+	-	+	+	+
Kang 2009	+	?	-	+	+	+
Kim 2015	+	?	?	+	+	+
Koo 2018	?	?	?	+	+	+
Lee 2021	+	?	?	+	+	+
Lincoln 1985	?	?	?	?	+	?
Park 2015	+	?	?	+	+	?
Seim 2021	?	?	?	+	+	?
Yang 2015	+	?	?	+	+	+
Yun 2018	+	?	?	+	+	+

## References

1. An C-m, Roh J-s, Kim T-h, Choi H-s, Choi K-h, Kim G-m. Effects of Game-based Postural Vertical Training on Pusher Behavior, Postural Control, and Activity of Daily Living in Patients With Acute Stroke: A Pilot Study. *Physical Therapy Korea* 2019;26:57-66.  
<http://dx.doi.org/10.12674/ptk.2019.26.3.057>
2. An CM, Ko MH, Kim DH, Kim GW. Effect of postural training using a whole-body tilt apparatus in subacute stroke patients with lateropulsion: A single-blinded randomized controlled trial. *Ann Phys Rehabil Med* 2021;64:101393.  
<http://dx.doi.org/10.1016/j.rehab.2020.05.001>
3. Bergmann J, Kreuer C, Jahn K, Muller F. Robot-assisted gait training to reduce pusher behavior: A randomized controlled trial. *Neurology* 2018;91:e1319-e27.  
<http://dx.doi.org/10.1212/WNL.0000000000006276>
4. Carey L, Macdonell R, Matyas TA. SENSe: Study of the Effectiveness of Neurorehabilitation on Sensation: a randomized controlled trial. *Neurorehabil Neural Repair* 2011;25:304-13. <http://dx.doi.org/10.1177/1545968310397705>
5. Chen P, Hartman AJ, Priscilla Galarza C, DeLuca J. Global processing training to improve visuospatial memory deficits after right-brain stroke. *Arch Clin Neuropsychol* 2012;27:891-905. <http://dx.doi.org/10.1093/arclin/acs089>
6. Cho HY, Kim K, Lee B, Jung J. The effect of neurofeedback on a brain wave and visual perception in stroke: a randomized control trial. *J Phys Ther Sci* 2015;27:673-6.  
<http://dx.doi.org/10.1589/jpts.27.673>
7. Choi D, Choi W, Lee S. Influence of Nintendo Wii Fit Balance Game on Visual Perception, Postural Balance, and Walking in Stroke Survivors: A Pilot Randomized Clinical Trial. *Games for Health Journal* 2018;7:377-84. <http://dx.doi.org/10.1089/g4h.2017.0126>
8. De Bruyn N, Saenen L, Thijs L, Van Gils A, Ceulemans E, Essers B, et al. Sensorimotor vs. Motor Upper Limb Therapy for Patients With Motor and Somatosensory Deficits: A Randomized Controlled Trial in the Early Rehabilitation Phase After Stroke. *Front Neurol* 2020;11:597666. <http://dx.doi.org/10.3389/fneur.2020.597666>
9. Edmans JA, Webster J, Lincoln NB. A comparison of two approaches in the treatment of perceptual problems after stroke. *Clin Rehabil* 2000;14:230-43.  
<http://dx.doi.org/10.1191/02692150067333145>
10. Si Hyun K, Kim DK, Kyung Mook S, Kwang Nam C, Jin Yong Y, Sang Yoon S, et al. A computerized visual perception rehabilitation programme with interactive computer interface using motion tracking technology -- a randomized controlled, single-blinded, pilot clinical trial study. *Clin Rehabil* 2009;23:434-44.  
<http://dx.doi.org/10.1177/0269215508101732>
11. Kim B-s, Bang D-h, Shin W-s. Effects of Pressure Sense Perception Training on Unstable Surface on Somatosensory, Balance and Gait Function in Patients with Stroke. *Journal of the Korean Society of Physical Medicine* 2015;10:19-27.  
<http://dx.doi.org/10.13066/kspm.2015.10.3.19>
12. Koo WR, Jang BH, Kim CR. Effects of Anodal Transcranial Direct Current Stimulation on Somatosensory Recovery After Stroke: A Randomized Controlled Trial. *Am J Phys Med Rehabil* 2018;97:507-13. <http://dx.doi.org/10.1097/PHM.0000000000000910>
13. Lee HC, Kuo FL, Lin YN, Liou TH, Lin JC, Huang SW. Effects of Robot-Assisted Rehabilitation on Hand Function of People With Stroke: A Randomized, Crossover-Controlled, Assessor-Blinded Study. *Am J Occup Ther* 2021;75:7501205020p1-p11.  
<http://dx.doi.org/10.5014/ajot.2021.038232>

14. Lincoln NB, Whiting SE, Cockburn J, Bhavnani G. An evaluation of perceptual retraining. *Int Rehabil Med* 1985;7:99-101. <http://dx.doi.org/10.3109/03790798509166132>
15. Park JH, Park JH. The effects of a Korean computer-based cognitive rehabilitation program on cognitive function and visual perception ability of patients with acute stroke. *J Phys Ther Sci* 2015;27:2577-9. <http://dx.doi.org/10.1589/jpts.27.2577>
16. Seim CE, Wolf SL, Starner TE. Wearable vibrotactile stimulation for upper extremity rehabilitation in chronic stroke: clinical feasibility trial using the VTS Glove. *J Neuroeng Rehabil* 2021;18:14. <http://dx.doi.org/10.1186/s12984-021-00813-7>
17. Yang YR, Chen YH, Chang HC, Chan RC, Wei SH, Wang RY. Effects of interactive visual feedback training on post-stroke pusher syndrome: a pilot randomized controlled study. *Clin Rehabil* 2015;29:987-93. <http://dx.doi.org/10.1177/0269215514564898>
18. Yun N, Joo MC, Kim SC, Kim MS. Robot-assisted gait training effectively improved lateropulsion in subacute stroke patients: a single-blinded randomized controlled trial. *Eur J Phys Rehabil Med* 2018;54:827-36. <http://dx.doi.org/10.23736/S1973-9087.18.05077-3>