



Type, <i>reference</i> = Schizophrenia												
Schizoaffective disorder	1.042	[0.989 - 1.098]	0.125	1.129	[1.064 - 1.198]	<0.001	1.168	[1.074 - 1.272]	<0.001	1.087	[1.005 - 1.175]	0.037
Bipolar disorder	1.092	[1.058 - 1.126]	<0.001	1.124	[1.092 - 1.157]	<0.001	1.115	[1.078 - 1.152]	<0.001	1.061	[1.023 - 1.100]	0.001
Depression and psychosis	1.045	[0.995 - 1.098]	0.077	1.065	[1.018 - 1.114]	0.006	1.054	[1.003 - 1.108]	0.039	1.068	[1.010 - 1.129]	0.020
Other affective disorder, mixed and missing	1.021	[0.930 - 1.121]	0.658	0.997	[0.844 - 1.177]	0.968	1.037	[0.888 - 1.211]	0.648	0.909	[0.771 - 1.071]	0.253
<b>Comorbidities</b>												
Cardiovascular disease	1.092	[1.033 - 1.155]	0.002	1.369	[1.286 - 1.458]	<0.001	1.124	[1.056 - 1.195]	<0.001	1.091	[1.014 - 1.174]	0.020
Hypertension	1.443	[1.371 - 1.519]	<0.001	1.122	[1.071 - 1.174]	<0.001	1.077	[1.030 - 1.127]	0.001	1.077	[1.011 - 1.148]	0.022
Dementia	0.758	[0.682 - 0.843]	<0.001	0.792	[0.698 - 0.899]	<0.001	0.764	[0.670 - 0.871]	<0.001	0.839	[0.739 - 0.953]	0.007
Learning disability	1.353	[1.226 - 1.493]	<0.001	1.298	[1.164 - 1.448]	<0.001	1.362	[1.219 - 1.521]	<0.001	1.519	[1.366 - 1.689]	<0.001
Charlson index comorbidities (count)	1.046	[1.024 - 1.069]	<0.001				1.034	[1.011 - 1.057]	0.003	1.079	[1.051 - 1.108]	<0.001
<b>Medications</b>												
Antidepressants	1.121	[1.096 - 1.146]	<0.001	1.076	[1.047 - 1.105]	<0.001	1.105	[1.075 - 1.136]	<0.001	1.118	[1.084 - 1.152]	<0.001
Antipsychotics - typical	1.111	[1.074 - 1.149]	<0.001	1.052	[1.021 - 1.085]	0.001	1.107	[1.069 - 1.147]	<0.001	1.181	[1.133 - 1.232]	<0.001
Antipsychotics - atypical	1.025	[1.000 - 1.051]	0.046	1.080	[1.051 - 1.110]	<0.001	1.113	[1.077 - 1.149]	<0.001	1.072	[1.038 - 1.107]	<0.001
Antihypertensive	1.227	[1.167 - 1.290]	<0.001	1.043	[0.997 - 1.091]	0.069	1.071	[1.025 - 1.120]	0.002	1.085	[1.021 - 1.154]	0.009
Lipid lowering drugs				1.183	[1.130 - 1.238]	<0.001						
Antidiabetics												
<b>Family history of diabetes</b>	1.061	[1.021 - 1.103]	0.003	1.111	[1.071 - 1.153]	<0.001	1.181	[1.130 - 1.234]	<0.001	1.083	[1.033 - 1.136]	0.001
<b>BMI, reference = 20-25 normal</b>												
< 20	0.985	[0.916 - 1.059]	0.686	0.897	[0.825 - 0.975]	0.011	0.959	[0.883 - 1.042]	0.322	1.166	[1.060 - 1.284]	0.002
25-29 overweight	1.101	[1.054 - 1.149]	<0.001	1.061	[1.016 - 1.107]	0.007	1.076	[1.032 - 1.122]	0.001	1.081	[1.028 - 1.137]	0.003

30+ obesity	1.190	[1.140 - 1.242]	<0.00 1	1.102	[1.057 - 1.149]	<0.00 1	1.180	[1.127 - 1.236]	<0.00 1	1.333	[1.262 - 1.408]	<0.00 1
40+ severely obese	1.168	[1.071 - 1.273]	<0.00 1	1.095	[1.010 - 1.187]	0.028	1.195	[1.089 - 1.311]	<0.00 1	1.678	[1.502 - 1.875]	<0.00 1
Missing	1.003	[0.967 - 1.040]	0.889	0.977	[0.938 - 1.018]	0.274	0.940	[0.906 - 0.975]	0.001	0.813	[0.774 - 0.854]	<0.00 1
<b>Blood pressure (systolic), reference: ≤140 mmHg</b>												
>140 mmHg	1.218	[1.164 - 1.275]	<0.00 1	1.077	[1.035 - 1.120]	<0.00 1						
Missing	0.824	[0.797 - 0.852]	<0.00 1	0.915	[0.884 - 0.946]	<0.00 1						
<b>Cholesterol, reference: ≤ 5 mmol/L</b>												
> 5 mmol/L				1.164	[1.115 - 1.216]	<0.00 1	1.111	[1.056 - 1.169]	<0.00 1			
Missing				0.848	[0.809 - 0.888]	<0.00 1	0.893	[0.853 - 0.934]	<0.00 1			
<b>length of follow-up in years</b>	1.247	[1.241 - 1.254]	<0.00 1	1.294	[1.286 - 1.302]	<0.00 1	1.240	[1.231 - 1.249]	<0.00 1	1.264	[1.255 - 1.273]	<0.00 1
<b>Constant</b>	0.246	[0.213 - 0.284]	<0.00 1	0.021	[0.017 - 0.025]	<0.00 1	0.073	[0.062 - 0.086]	<0.00 1	0.153	[0.128 - 0.183]	<0.00 1
<b>Financial year dummies</b>	<b>Yes</b>			<b>Yes</b>			<b>Yes</b>			<b>Yes</b>		
<b>Patients</b>	26,97			26,97			26,97			26,97		
	7			7			7			7		
<b>Practices</b>	384			384			384			384		

Robust 95% CI in brackets.