| Participant Study No | | | | | |
|----------------------|--|--|--|--|---|
| | | | | | |
| | | | | | l |

(for completion by co-ordinating centre in Aberdeen)

For office use only



GASTRO-OESOPHAGEAL REFLUX DISEASE (GORD) TREATMENT CHOICE QUESTIONNAIRE

CONFIDENTIAL

This study is funded by the NIHR Health Technology Assessment Programme

THE FOLLOWING TWO PAGES ARE FOR INFORMATION ONLY

Thank you for taking part in this survey.

The responses you give will help us find out which reflux treatment option has the biggest impact on overall health and quality of life. The information you provide will be completely confidential.

HOW TO FILL IN THE QUESTIONNAIRE

In this questionnaire, you are presented with 10 questions relating to different GORD treatment choices, each describing two or three treatment options: Option A or Option B and sometimes Option C.

When answering these questions, we would like you to imagine that your gastroenterologist is offering you the choice of treatment options (A or B or C) and that (s)he would like you to pick the option you prefer. You would do this by putting a tick in the appropriate box.

Although, you may not like either treatment option, please choose the one that is most preferable to you.

Please tick just **ONE** box for every question.

PLEASE REFER TO THE <u>GUIDANCE NOTES</u> ENCLOSED WITH THIS QUESTIONNAIRE TO HELP YOU MAKE YOUR DECISIONS

Here is an **EXAMPLE QUESTION** to help you fill out the following questions:

Example question Which option would you choose?

| | Option A | Option B |
|---|-------------|-------------|
| Frequency of troublesome symptoms | None at all | Once a week |
| Chance of serious complications requiring hospitalisation | 1 in 500 | 1 in 800 |
| Chance of undergoing surgery | 2 in 3 | 1 in 20 |
| Chance of needing lifelong medication | 1 in 20 | 2 in 3 |

| (Tick one box only) | \checkmark | |
|---------------------|--------------|----------|
| | Option A | Option B |

IN THIS CASE YOU WOULD PREFER TO:

Have the option of no symptoms, having a 1 in 500 chance of serious complications, having a 2 in 3 chance of undergoing surgery, and a 1 in 20 chance of needing lifelong medication.

RATHER THAN:

The option of having symptoms once a week, having a 1 in 800 chance of serious complications, having a 1 in 20 chance of undergoing surgery, and a 2 in 3 chance of needing lifelong medication.

Please remember, **there is no right or wrong answer**. We just want to know what **YOU** think.

Choice 1 Which option would you choose?

| | Option A | Option B |
|---|-------------|---------------------------|
| Frequency of troublesome symptoms | Once a week | Two or three times a week |
| Chance of serious complications requiring hospitalisation | 1 in 500 | 1 in 100 |
| Chance of undergoing surgery | 1 in 20 | 1 in 3 |
| Chance of needing lifelong medication | 5 in 6 | 1 in 3 |

| (Tick one box only) | Option A | Option B |
|---------------------|----------|----------|
| | | |

Choice 2 Which option would you choose?

| | Option A | Option B |
|---|---------------------------|--------------------|
| Frequency of troublesome symptoms | Two or three times a week | Most days/everyday |
| Chance of serious complications requiring hospitalisation | 1 in 100 | 1 in 500 |
| Chance of undergoing surgery | 1 in 3 | 2 in 3 |
| Chance of needing lifelong medication | 1 in 20 | 2 in 3 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 3 Which option would you choose?

| | Option A | Option B |
|---|---------------------------|--------------------|
| Frequency of troublesome symptoms | Two or three times a week | Most days/everyday |
| Chance of serious complications requiring hospitalisation | 1 in 500 | 1 in 100 |
| Chance of undergoing surgery | 5 in 6 | 1 in 20 |
| Chance of needing lifelong medication | 2 in 3 | 1 in 20 |

| (Tick one box only) | Option A | Option B |
|---------------------|----------|----------|
| | | |

Choice 4 Which option would you choose?

| | Option A | Option B |
|---|--------------------|------------|
| Frequency of troublesome symptoms | Most days/everyday | Not at all |
| Chance of serious complications requiring hospitalisation | 1 in 300 | 1 in 800 |
| Chance of undergoing surgery | 1 in 3 | 2 in 3 |
| Chance of needing lifelong medication | 5 in 6 | 1 in 3 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 5 Which option would you choose?

| | Option A | Option B | Option C |
|---|---------------------------|-----------------------|---------------------------|
| Frequency of troublesome symptoms | Two or three times a week | Most days/everyday | Two or three times a week |
| Chance of serious complications requiring hospitalisation | 1 in 100 | 1 in 500 | 1 in 100 |
| Chance of undergoing surgery | 1 in 3 | 2 in 3 | 2 in 3 |
| Chance of needing lifelong medication | 1 in 20 | 2 in 3 | 1 in 3 |

| (Tick one box only) | | | |
|---------------------|----------|----------|----------|
| | Option A | Option B | Option C |

Choice 6 Which option would you choose?

| | Option A | Option B |
|---|-------------|---------------------------|
| Frequency of troublesome symptoms | Once a week | Two or three times a week |
| Chance of serious complications requiring hospitalisation | 1 in 100 | 1 in 500 |
| Chance of undergoing surgery | 2 in 3 | 5 in 6 |
| Chance of needing lifelong medication | 1 in 3 | 5 in 6 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 7 Which option would you choose?

| | Option A | Option B |
|---|------------|-------------|
| Frequency of troublesome symptoms | Not at all | Once a week |
| Chance of serious complications requiring hospitalisation | 1 in 800 | 1 in 300 |
| Chance of undergoing surgery | 1 in 20 | 1 in 3 |
| Chance of needing lifelong medication | 1 in 20 | 2 in 3 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 8 Which option would you choose?

| | Option A | Option B |
|---|--------------------|------------|
| Frequency of troublesome symptoms | Most days/everyday | Not at all |
| Chance of serious complications requiring hospitalisation | 1 in 800 | 1 in 300 |
| Chance of undergoing surgery | 5 in 6 | 1 in 20 |
| Chance of needing lifelong medication | 1 in 3 | 5 in 6 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 9 Which option would you choose?

| | Option A | Option B |
|---|------------|-------------|
| Frequency of troublesome symptoms | Not at all | Once a week |
| Chance of serious complications requiring hospitalisation | 1 in 300 | 1 in 800 |
| Chance of undergoing surgery | 2 in 3 | 5 in 6 |
| Chance of needing lifelong medication | 2 in 3 | 1 in 20 |

| (Tick one box only) | Option A | Option B |
|---------------------|----------|----------|
| | • | • |

Choice 10 Which option would you choose?

| | Option A | Option B | Option C |
|---|-----------------------|------------|-----------------------|
| Frequency of troublesome symptoms | Most days/everyday | Not at all | Most days/everyday |
| Chance of serious complications requiring hospitalisation | 1 in 300 | 1 in 800 | 1 in 100 |
| Chance of undergoing surgery | 1 in 3 | 2 in 3 | 2 in 3 |
| Chance of needing lifelong medication | 5 in 6 | 1 in 3 | 5 in 6 |

| (Tick one box only) | | | |
|---------------------|----------|----------|----------|
| | Option A | Option B | Option C |

IF YOU HAVE ANY OTHER COMMENTS about your gastro-oesophageal reflux symptoms, your reflux treatment or this study, please write them below.

THANK YOU FOR YOUR HELP IN COMPLETING THIS QUESTIONNAIRE

Once you have completed the form, please return it in the pre-paid envelope provided or to the following address:

REFLUX Trial Office
Health Services Research Unit
Polwarth Building
Foresterhill
Aberdeen AB25 2ZD

Tel: 01224 000000 Fax: 01224 554580

E-mail: reflux@hsru.abdn.ac.uk

| Par | ticip | ant | Stu | dy l | ok |
|-----|-------|-----|-----|------|----|
| | | | | | |

(for completion by co-ordinating centre in Aberdeen)

For office use only



GASTRO-OESOPHAGEAL REFLUX DISEASE (GORD) TREATMENT CHOICE QUESTIONNAIRE

CONFIDENTIAL

This study is funded by the NIHR Health Technology Assessment Programme

THE FOLLOWING TWO PAGES ARE FOR INFORMATION ONLY

Thank you for taking part in this survey.

The responses you give will help us find out which reflux treatment option has the biggest impact on overall health and quality of life. The information you provide will be completely confidential.

HOW TO FILL IN THE QUESTIONNAIRE

In this questionnaire, you are presented with 10 questions relating to different GORD treatment choices, each describing two or three treatment options: Option A or Option B and sometimes Option C.

When answering these questions, we would like you to imagine that your gastroenterologist is offering you the choice of treatment options (A or B or C) and that (s)he would like you to pick the option you prefer. You would do this by putting a tick in the appropriate box.

Although, you may not like either treatment option, please choose the one that is most preferable to you.

Please tick just **ONE** box for every question.

PLEASE REFER TO THE <u>GUIDANCE NOTES</u> ENCLOSED WITH THIS QUESTIONNAIRE TO HELP YOU MAKE YOUR DECISIONS

Here is an **EXAMPLE QUESTION** to help you fill out the following questions:

Example question Which option would you choose?

| | Option A | Option B |
|---|-------------|-------------|
| Frequency of troublesome symptoms | None at all | Once a week |
| Chance of serious complications requiring hospitalisation | 1 in 500 | 1 in 800 |
| Chance of undergoing surgery | 2 in 3 | 1 in 20 |
| Chance of needing lifelong medication | 1 in 20 | 2 in 3 |

| (Tick one box only) | ✓ | |
|---------------------|----------|----------|
| | Option A | Option B |

IN THIS CASE YOU WOULD PREFER TO:

Have the option of no symptoms, having a 1 in 500 chance of serious complications, having a 2 in 3 chance of undergoing surgery, and a 1 in 20 chance of needing lifelong medication.

RATHER THAN:

The option of having symptoms once a week, having a 1 in 800 chance of serious complications, having a 1 in 20 chance of undergoing surgery, and a 2 in 3 chance of needing lifelong medication.

Please remember, **there is no right or wrong answer**. We just want to know what **YOU** think.

Choice 1 Which option would you choose?

| | Option A | Option B |
|---|-------------|---------------------------|
| Frequency of troublesome symptoms | Once a week | Two or three times a week |
| Chance of serious complications requiring hospitalisation | 1 in 800 | 1 in 300 |
| Chance of undergoing surgery | 1 in 3 | 2 in 3 |
| Chance of needing lifelong medication | 2 in 3 | 1 in 20 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 2 Which option would you choose?

| | Option A | Option B |
|---|---------------------------|--------------------|
| Frequency of troublesome symptoms | Two or three times a week | Most days/everyday |
| Chance of serious complications requiring hospitalisation | 1 in 300 | 1 in 800 |
| Chance of undergoing surgery | 1 in 20 | 1 in 3 |
| Chance of needing lifelong medication | 1 in 3 | 5 in 6 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 3 Which option would you choose?

| | Option A | Option B |
|---|---------------------------|--------------------|
| Frequency of troublesome symptoms | Two or three times a week | Most days/everyday |
| Chance of serious complications requiring hospitalisation | 1 in 800 | 1 in 300 |
| Chance of undergoing surgery | 2 in 3 | 5 in 6 |
| Chance of needing lifelong medication | 5 in 6 | 1 in 3 |

| Option A Option B | (Tick one box only) Option A Option B | |
|-------------------|--|--|
|-------------------|--|--|

Choice 4 Which option would you choose?

| | Option A | Option B |
|---|--------------------|------------|
| Frequency of troublesome symptoms | Most days/everyday | Not at all |
| Chance of serious complications requiring hospitalisation | 1 in 100 | 1 in 500 |
| Chance of undergoing surgery | 1 in 20 | 1 in 3 |
| Chance of needing lifelong medication | 2 in 3 | 1 in 20 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 5 Which option would you choose?

| | Option A | Option B | Option C |
|---|-------------|---------------------------|---------------------------|
| Frequency of troublesome symptoms | Once a week | Two or three times a week | Two or three times a week |
| Chance of serious complications requiring hospitalisation | 1 in 800 | 1 in 300 | 1 in 100 |
| Chance of undergoing surgery | 1 in 3 | 2 in 3 | 5 in 6 |
| Chance of needing lifelong medication | 2 in 3 | 1 in 20 | 1 in 20 |

| (Tick one box only) | | | |
|---------------------|----------|----------|----------|
| | Option A | Option B | Option C |

Choice 6 Which option would you choose?

| | Option A | Option B |
|---|-------------|---------------------------|
| Frequency of troublesome symptoms | Once a week | Two or three times a week |
| Chance of serious complications requiring hospitalisation | 1 in 300 | 1 in 800 |
| Chance of undergoing surgery | 5 in 6 | 1 in 20 |
| Chance of needing lifelong medication | 1 in 20 | 2 in 3 |

| (Tick one box only) | Option A | Option B |
|---------------------|----------|----------|
| | | |

Choice 7 Which option would you choose?

| | Option A | Option B |
|---|------------|-------------|
| Frequency of troublesome symptoms | Not at all | Once a week |
| Chance of serious complications requiring hospitalisation | 1 in 500 | 1 in 100 |
| Chance of undergoing surgery | 1 in 3 | 2 in 3 |
| Chance of needing lifelong medication | 1 in 3 | 5 in 6 |

| (Tick one box only) | Option A | Option B |
|---------------------|----------|----------|
| | | |

Choice 8 Which option would you choose?

| | Option A | Option B |
|---|--------------------|------------|
| Frequency of troublesome symptoms | Most days/everyday | Not at all |
| Chance of serious complications requiring hospitalisation | 1 in 500 | 1 in 100 |
| Chance of undergoing surgery | 2 in 3 | 5 in 6 |
| Chance of needing lifelong medication | 1 in 20 | 2 in 3 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 9 Which option would you choose?

| | Option A | Option B |
|---|------------|-------------|
| Frequency of troublesome symptoms | Not at all | Once a week |
| Chance of serious complications requiring hospitalisation | 1 in 100 | 1 in 500 |
| Chance of undergoing surgery | 5 in 6 | 1 in 20 |
| Chance of needing lifelong medication | 5 in 6 | 1 in 3 |

| (Tick one box only) | | |
|---------------------|----------|----------|
| | Option A | Option B |

Choice 10 Which option would you choose?

| | Option A | Option B | Option C |
|---|-----------------------|------------|-----------------------|
| Frequency of troublesome symptoms | Most days/everyday | Not at all | Most days/everyday |
| Chance of serious complications requiring hospitalisation | 1 in 500 | 1 in 100 | 1 in 300 |
| Chance of undergoing surgery | 2 in 3 | 5 in 6 | 5 in 6 |
| Chance of needing lifelong medication | 1 in 20 | 2 in 3 | 1 in 3 |

| | | | ' |
|---------------------|----------|----------|----------|
| (Tick one box only) | | | |
| | Option A | Option B | Option C |

IF YOU HAVE ANY OTHER COMMENTS about your gastro-oesophageal reflux symptoms, your reflux treatment or this study, please write them below.

| | , |
|--|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

THANK YOU FOR YOUR HELP IN COMPLETING THIS QUESTIONNAIRE

Once you have completed the form, please return it in the pre-paid envelope provided or to the following address:

REFLUX Trial Office
Health Services Research Unit
Polwarth Building
Foresterhill
Aberdeen AB25 2ZD
Tel: 01224 000000

Fax: 01224 554580

E-mail: reflux@hsru.abdn.ac.uk