A proposed placebo-controlled trial of arthroscopic lavage for osteoarthritis: The KORAL Study



Marion Campbell, Zo ë Skea, Alasdair Sutherland on behalf of KORAL team



Health Services Research Unit University of Aberdeen

MSRU is funded by the Chief Scientist Office of the Scottish Executive Health Department.

The author accepts full responsibility for this talk.

Background

- Osteo-arthritis most common form of arthritis in Western populations
- Disabling OA of the knee affects approx 10% of people over 55
- · Associated with pain and functional disability
- · Leads to limited activities for sufferers
- · Range of treatments for knee OA



Health Services Research Unit, Aberdeen



Arthroscopic lavage

- Common procedure: 650,000 performed each year in the US; 34,000 in UK in financial year 2002/3
- · Annual cost to NHS estimated at over £34m



Health Services Research Unit, Aberdeen



Evidence for benefit

- · Weak!
- Mainly uncontrolled studies of poor quality
- Small number of randomised controlled trials
- Systematic reviews provide little evidence to support routine use of arthroscopic layage
- Most controversial trial conducted by Moseley and colleagues in the US



Health Services Research Unit, Aberdeen



Moseley trial

- · 180 patients randomised to either:
 - arthroscopic lavage
 - arthroscopic debridement, or
 - sham procedure
- At 24 months, no evidence of difference between either active group compared with sham
- Trial conclusion any benefit resulted from a placebo effect



Health Services Research Unit, Aberdeen



Perceived problems with Moseley trial

Limited generalisability:

- · Most patients had severe OA
- · Limited age range
- · Almost all were men
- · Only one surgeon
- VA hospital setting



Health Services Research Unit, Aberdeen



UK NHS HTA Programme call

- Identified the need to conduct another welldesigned randomised controlled trial (given the limitations of the Moseley trial)
- Want to investigate whether any benefit is due to placebo
- Led to a call for a placebo-controlled randomised controlled trial of arthroscopic lavage +/- debridement

 \boxtimes

Health Services Research Unit, Aberdeen

罗

However ...

 They recognised that the inclusion of a placebo procedure might be problematic

Sn

- · Commissioned the work in two stages:
 - Feasibility phase to explore ethical issues around the proposed placebo ... and if placebo found to be acceptable
 - 2. Formal randomised controlled trial

Health Services Research Unit, Aberdeen



Result of call

- Aberdeen-led bid successful
- Team includes: surgeons, anaesthetists, health services researchers, triallists, qualitative researchers, consumer representation, an ethicist, a health psychologist, health economists, statisticians
- Study started July 2005

Health Services Research Unit, Aberdeen



Feasibility study

Health Services Research Unit, Aberdeen



Research questions

- Which procedures might be used as 'placebos' for arthroscopic lavage?
- What do key stakeholder groups think about the use of placebo procedures in the context of a randomised controlled trial to evaluate arthroscopic lavage?

Health Services Research Unit, Aberdeen

易

Key stakeholder groups

- Orthopaedic surgeons
- Anaesthetists
- · People with osteoarthritis of the knee
- · Members of research ethics committees

×

Health Services Research Unit, Aberdeen



Extra slides about Moseley placebo

Health Services Research Unit, Aberdeen

How Moseley did it (1)

Debridement / lavage groups

 "received standard general anaesthesia with endotracheal intubation"

Placebo group

 "received a short-acting intravenous tranquilizer and an opioid and spontaneously breathed oxygen enriched air"



Health Services Research Unit, Aberdeen



How Moseley did it (2)

To preserve blinding ...

A standard arthroscopic debridement procedure was simulated. After the knee was prepp ed and draped, three Lcm incisions were made in the skin. The surgeon asked for all instruments and manipulated the knee as if arthroscopy were being performed. Saline was splashed to simulate the sounds of la vage. No instrument entered the portals for arthroscopy. The patient was kept in the operating room for the amount of time required for a debridement ...



Health Services Research Unit, Aberdeen



How Moseley did it (3)

Patients spent the night after the procedure in the hospital and were cared for by nurses who were unaware of the treatment group assignment...

Postoperative care was delivered according to a protocol specifying that all patients should receive the same walking aids, gradated exercise program and analgesics.



Health Services Research Unit, Aberdeen

