National Institute for Health and Clinical Excellence. *Chest pain of recent onset: assessment and diagnosis of recent onset chest pain or discomfort of suspected cardiac origin.* Clinical Guidelines 95 [Internet]. London: NICE; 2010. URL: http://guidance.nice.org.uk/CG95 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Unstable angina and NSTEMI: the early management of unstable angina and non-ST-segment-elevation myocardial infarction.* Clinical Guidelines 94 [Internet]. London: NICE; 2010. URL: http://guidance.nice.org.uk/CG94 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Management of stable angina. NICE clinical guideline 126* [Internet]. London: NICE; 2011. URL: www.nice.org.uk/nicemedia/live/13549/55660/55660.pdf (accessed 16 January 2013).

National Institute for Health and Clinical Excellence. *Ischaemic heart disease: coronary artery stents.* Technology Appraisals 71 [Internet]. London: NICE; 2003. URL: http://guidance.nice.org. uk/TA71 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Drug-eluting stents for the treatment of coronary artery disease*. Technology Appraisals 152 [Internet]. London: NICE; 2008. URL: http://guidance.nice.org.uk/TA152 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *SeQuent Please balloon catheter for in-stent coronary restenosis*. Medical Technologies Guidance 1 [Internet]. London: NICE; 2010. URL: http://guidance.nice.org.uk/MTG1 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Off-pump coronary artery bypass grafting*. Interventional Procedure Guidance 377 [Internet]. London: NICE; 2011. URL: http://guidance.nice.org.uk/IPG37 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Balloon dilatation of pulmonary valve stenosis*. Interventional Procedure Guidance 67 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG67 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Balloon angioplasty with or without stenting for coarctation or recoarctation of aorta in adults and children*. Interventional Procedure Guidance 74 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG74 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Balloon dilatation with or without stenting for pulmonary artery or non-valvar right ventricular outflow tract obstruction in children*. Interventional Procedure Guidance 76 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG76 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Balloon dilatation of systemic to pulmonary arterial shunts in children*. Interventional Procedure Guidance 77 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG77 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Balloon valvuloplasty for aortic valve stenosis in adults and children*. Interventional Procedure Guidance 78 [Internet]. London: NICE; 2004. URL: http://www.nice.org.uk/IPG078 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Endovascular atrial septostomy*. Interventional Procedure Guidance 86 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG86 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Radiofrequency valvotomy for pulmonary atresia*. Interventional Procedure Guidance 95 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG95 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Endovascular closure of atrial septal defect*. Interventional Procedure Guidance 96 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG96 (accessed 20 April 2011).

National Institute for Health and Clinical Excellence. *Endovascular closure of patent ductus arteriosus*. Interventional Procedure Guidance 97 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG97 (accessed 21 April 2011).

National Institute for Health and Clinical Excellence. *Intraoperative fluorescence angiography in coronary artery bypass grafting.* Interventional Procedure Guidance 98 [Internet]. London: NICE; 2004. URL: http://guidance.nice.org.uk/IPG98 (accessed 21 April 2011).

National Institute for Health and Clinical Excellence. *Percutaneous pulmonary valve implantation for right ventricular outflow tract dysfunction*. Interventional Procedure Guidance 237 [Internet]. London: NICE; 2007. URL: http://guidance.nice.org.uk/IPG237 (accessed 21 April 2011).

National Institute for Health and Clinical Excellence. *Hybrid procedure for interim management of hypoplastic left heart syndrome in neonates.* Interventional Procedure Guidance 246 [Internet]. London: NICE; 2007. URL: http://guidance.nice.org.uk/IPG246 (accessed 21 April 2011).

National Institute for Health and Clinical Excellence. *Percutaneous laser revascularisation for refractory angina pectoris.* Interventional Procedure Guidance 302 [Internet]. London: NICE; 2009. URL: http://www.nice.org.uk/guidance/IPG302 (accessed 21 April 2011).

National Institute for Health and Clinical Excellence. *Transmyocardial laser revascularisation for refractory angina pectoris*. Interventional Procedure Guidance 301 [Internet]. London: NICE; 2009. URL: http://www.nice.org.uk/guidance/IPG301 (accessed 21 April 2011).

National Institute for Health and Clinical Excellence. *Transcatheter endovascular closure of perimembranous ventricular septal defect.* Interventional Procedure Guidance 336 [Internet]. London: NICE; 2010. URL: http://guidance.nice.org.uk/IPG336 (accessed 21 April 2011).

National Institute for Health and Clinical Excellence. *Endoscopic saphenous vein harvest for coronary artery bypass grafting*. Interventional procedure guidance 343 [Internet]. London: NICE; 2010. URL: http://guidance.nice.org.uk/IPG343 (accessed 21 April 2011).