

ns = number of studies reporting all categories; nsA = number of studies reporting data of type A; etc
 # nsA = number of studies of type A; etc

list(ns=1, nsE=1, nsA2=1, ny=3, nyA=2, nyC=2, nyE=3, nyF=1)

y[,1]	y[,2]	y[,3]	y[,4]	N[]			
12	28	35	225	300	#	Snaith 2018	ALL
0	14	44	242	300	#	Snaith 2019	ALL
1	0	2	100	103	#	Krige 2017	ALL
33	20	47	NA	100	#	Shephard 2010	TYPE A
29	674	2541	NA	3244	#	Botz 2013 (ABL)	TYPE A
4	8	111	NA	123	#	Inoue 2017	TYPE C
0	3	348	NA	351	#	Houben 2017	TYPE C
68	198	NA	NA	266	#	Korpi-Steiner 2009	TYPE E
1	186	NA	NA	187	#	Dorward 2018	TYPE E
9	40	NA	NA	49	#	Nichols 2007	TYPE E
14	2028	NA	NA	2042	#	Botz 2013 (iSTAT)	TYPE F
END							

r[,1,1]	r[,1,2]	r[,1,3]	r[,1,4]	n[,1]	r[,2,1]	r[,2,2]	r[,2,3]	r[,2,4]	n[,2]	r[,3,1]	r[,3,2]	
	r[,3,3]	r[,3,4]	n[,3]	r[,4,1]	r[,4,2]	r[,4,3]	r[,4,4]	n[,4]	#	Study ID		
12	0	0	0	12	0	24	4	0	28	0	2	31
	2	35	0	0	1	224	225	#	Snaith 2018		FULL DATA	
55	13	NA	NA	68	6	192	NA	NA	198	NA	NA	NA
	NA	NA	NA	NA	NA	NA	NA	#	Korpi-Steiner 2009		TYPE E	
26	3	NA	NA	29	NA	NA	NA	NA	674	24	2517	NA
	NA	2541	NA	NA	NA	NA	NA	#	Botz 2013		TYPE A2	
END												